L Number	Hits	Search Text	DB	Time stamp
Number	43	((e-mail email (electronic\$4 adj2	USPAT;	2003/02/03
_	33	mail\$5))) and (replac\$4 near11 attach\$7)	EPO; JPO;	10:50
		and (send\$4 forward\$4 transmit\$6	DERWENT;	10.30
		transfer\$4 receiv\$4)	IBM TDB	
_	40	((e-mail email (electronic\$4 adj2	USPAT;	2003/02/03
	10	mail\$5)) same (send\$4 forward\$4	EPO; JPO;	11:08
		transmit\$6 transfer\$4 receiv\$4)) and	DERWENT;	11.00
		(replac\$4 near11 attach\$7)	IBM TDB	
_	19	((e-mail email (electronic\$4 adj2	USPAT;	2003/02/03
	1	mail\$5)) same (send\$4 forward\$4	EPO; JPO;	11:12
	i .	transmit\$6 transfer\$4 receiv\$4)) and	DERWENT;	11.12
		(replac\$4 near11 attach\$7) and (public\$4	IBM TDB	
		privat\$4 encryp\$7)	1511_155	
_	59	((e-mail email (electronic\$4 adj2	USPAT;	2003/02/03
	"	mail\$5)) and attachment\$4) and ((notif\$8	EPO; JPO;	14:53
		prompt\$4 ask\$4) nearl1 (user client	DERWENT;	14.55
		sender receiver recip\$6) same (eras\$4	IBM_TDB	
		delet\$7)) and (telephon\$4 near11	I DM_IDB	
		network\$4)		
_	7	((e-mail email (electronic\$4 adj2	USPAT;	2003/02/03
	'	mail\$5)) and attachment\$4) and ((notif\$8	EPO; JPO;	14:54
		prompt\$4 ask\$4) nearl1 (user client	DERWENT;	13.33
		sender receiver recip\$6) same (eras\$4	IBM TDB	1
		delet\$7) same attach\$7) and (telephon\$4	154-106	1
		near11 network\$4)		
_	18	(e-mail email (electronic\$4 adj2 mail\$5))	USPAT;	2003/02/04
	10	and ((attachment\$4 attach\$4) near11	EPO; JPO;	09:18
		(delet\$7 eras\$4)) and ((send\$4 forward\$4	DERWENT;	09.10
		recipient\$4 receiv\$4 transmi\$7	IBM TDB	
		transfer\$4) near11 (notif\$4	1511_106	
	,	notification\$4 prompt\$6 acknowledg\$7))		
		and ((plurality) near7 (recipient\$4 user		
		and ((pidiality) hear/ (leciplents4 user client member custumer consumer))		
_	24	((e-mail email (electronic\$4 adj2	USPAT;	2003/02/04
	23	mail\$5)) and ((attachment\$4 attach\$4)	EPO; JPO;	09:54
		nearl1 (delet\$7 eras\$4)) and ((DERWENT;	09.54
		recipient\$4 user client member custumer	IBM_TDB	
		consumer) near11 (notif\$4 notification\$4	+511_100	
		prompt\$6 acknowledg\$7))) not ((e-mail		
	1	email (electronic\$4 adj2 mail\$5)) and		1
		((attachment\$4 attach\$4) near11 (delet\$7		
		eras\$4)) and ((send\$4 forward\$4		
	-	recipient\$4 receiv\$4 transmi\$7	1	
		transfer\$4) near11 (notif\$4]	
	1	notification\$4 prompt\$6 acknowledg\$7)))	1	
_	5	(e-mail email (electronic\$4 adj2 mail\$5))	USPAT;	2003/02/04
	1	and ((attachment\$4 attach\$4) near11	EPO; JPO;	09:55
	1	(delet\$7 eras\$4)) same ((recipient\$4	DERWENT;	
		user client member custumer consumer)	IBM TDB	
	1	nearl1 (notif\$4 notification\$4 prompt\$6		1
		acknowledg\$7))	1	
-	7	(e-mail email (electronic\$4 adj2 mail\$5))	USPAT;	2003/02/04
	·	and ((attachment\$4 attach\$4) near11	EPO; JPO;	10:27
		(delet\$7 eras\$4)) and ((recipient\$4 user	DERWENT;	10.27
	[client member custumer consumer) near11	IBM TDB	
	1	(notif\$4 notification\$4 prompt\$6		
	1	acknowledg\$7) near11 (delet\$7 eras\$4))	[
	1	and (notif\$4 notification\$4 prompt\$6	1	
	1	acknowledg\$7) and (delet\$7 eras\$4)	1	
_	51		USPAT;	2003/02/04
	1	and ((attachment\$4 attach\$4) same	EPO; JPO;	10:34
]	(delet\$7 eras\$4) same (recipient\$4 user	DERWENT;	10.33
		client member custumer consumer) same		
		(notif\$4 notification\$4 prompt\$6	IBM_TDB	
		acknowledg\$7))		
		achitowiedgy / / /	L	1

	1 40			1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
-	42	((e-mail email (electronic\$4 adj2	USPAT;	2003/02/04
		mail\$5)) and ((attachment\$4 attach\$4)	EPO; JPO;	10:35
		same (delet\$7 eras\$4) same (recipient\$4	DERWENT;	
		user client member custumer consumer)	IBM_TDB	
		same (notif\$4 notification\$4 prompt\$6		
		acknowledg\$7))) not ((e-mail email		
		(electronic\$4 adj2 mail\$5)) and ((attachment\$4 attach\$4) near11 (delet\$7		
		eras\$4)) and ((send\$4 forward\$4		
		recipient\$4 receiv\$4 transmi\$7		
		transfer\$4) near11 (notif\$4		
	46	notification\$4 prompt\$6 acknowledg\$7)))	HCDAM.	2002/02/04
-	40	((e-mail email (electronic\$4 adj2 mail\$5))) and (replac\$4 near11 attach\$7)	USPAT; EPO; JPO;	2003/02/04 14:53
		maily3/// and (replacy) health accachy//	DERWENT;	14.55
			IBM TDB	
1_	3	(((e-mail email (electronic\$4 adj2	USPAT;	2003/02/04
		mail\$5))) and (replac\$4 near11 attach\$7))	EPO; JPO;	14:54
		and telephon\$5 and (stor\$4 sav\$4) and	DERWENT;	14.54
		archival\$4 and (e-mail email	IBM TDB	
		(electronic\$4 adj2 mail\$5))	1011_106	
I _	103	(telephon\$5 near6 network\$4) and (stor\$4	USPAT;	2003/02/04
	103	sav\$4) and archival\$4 and (e-mail email	EPO; JPO;	14:55
		(electronic\$4 adj2 mail\$5))	DERWENT;	14.33
	1	(Jesselonie, auje marryo))	IBM TDB	
l -	28	(telephon\$5 near6 network\$4) and	USPAT;	2003/02/04
	20	(attachment\$4 and (stor\$4 sav\$4)) and	EPO; JPO;	14:58
		archival\$4 and (e-mail email	DERWENT;	14.50
		(electronic\$4 adj2 mail\$5))	IBM TDB	
_	26	(e-mail email (electronic\$4 adj2 mail\$5))	USPAT	2003/02/04
		and ((qur\$4 messag\$4 notif\$8 prompt\$4	OSIAI	15:36
		ask\$4) nearl1 (recipient\$4 user client		15.50
		member custumer consumer computer)) and		
		(replac\$4 near11 attach\$8)		
_	15	((e-mail email (electronic\$4 adj2	USPAT;	2003/02/04
		mail\$5))) and (replac\$4 near11 attach\$7)	EPO; JPO;	15:37
		and (send\$4 forward\$4 transmit\$6	DERWENT;	
		transfer\$4 receiv\$4) and telephon\$5	IBM TDB	
_	24	((e-mail email (electronic\$4 adj2	USPAT;	2003/02/04
		mail\$5))) and (replac\$4 near11 attach\$7)	EPO; JPO;	15:37
}	İ	and (send\$4 forward\$4 transmit\$6	DERWENT;	
Ì	1	transfer\$4 receiv\$4) and (authentic\$7	IBM TDB	
}		public\$4 privat\$4 encryp\$7)	_	
-	145	((e-mail email (electronic\$4 adj2	USPAT;	2003/07/16
		mail\$5)) and attachment\$4) and ((notif\$8	EPO; JPO;	14:23
		prompt\$4 ask\$4) near11 (user client	DERWENT;	
		sender receiver recip\$6) same (eras\$4	IBM_TDB	
		delet\$7))		
-	15	(((e-mail email (electronic\$4 adj2	USPAT;	2003/07/15
		mail\$5)) and attachment\$4) and ((notif\$8	EPO; JPO;	17:01
		prompt\$4 ask\$4) near11 (user client	DERWENT;	
		sender receiver recip\$6) same (eras\$4	IBM_TDB	
		delet\$7))) and ((notif\$6 notificat\$7		
		e-mail\$4 email\$4 (electronic adj mail\$4))		
1		nearl1 (recipient receiv\$4) nearl1		
	14	(delet\$6 eras\$4))	HCDAG -	2002/07/15
-	14	(((e-mail email (electronic\$4 adj2	USPAT;	2003/07/15
1		mail\$5)) and attachment\$4) and ((notif\$8	EPO; JPO;	17:05
		prompt\$4 ask\$4) near11 (user client	DERWENT;	
		sender receiver recip\$6) same (eras\$4	IBM_TDB	
		delet\$7))) and ((notif\$6 notificat\$7		
		e-mail\$4 email\$4 (electronic adj mail\$4))		
		nearl1 (recipient receiv\$4) same (delet\$6 eras\$4)) and ((user client sender		
		receiver recip\$6) same (view\$4 download\$4		
	1	receiv\$4) same attach\$8 same (delet\$6		
		eras\$4))		
L	L	V=mvT-//		l

-	75	((notif\$6 notificat\$7 e-mail\$4 email\$4	USPAT;	2003/07/15
		(electronic adj mail\$4)) nearll	EPO; JPO;	17:07
		(recipient receiv\$4) same (delet\$6	DERWENT;	
		eras\$4)) and ((user client sender	IBM_TDB	
		receiver recip\$6) same (view\$4 download\$4	,	
		receiv\$4) same attach\$8 same (delet\$6		
		eras\$4))		
-	62	((e-mail email (electronic\$4 adj2	USPAT;	2003/07/15
		mail\$5)) near11 (user client sender	EPO; JPO;	17:20
ļ		receiver recip\$6)) and ((notif\$6 notificat\$7 e-mail\$4 email\$4 (electronic	DERWENT;	
		adj mail\$4)) nearll (recipient receiv\$4)	IBM_TDB	
		same (delet\$6 eras\$4)) and ((user client		
		sender receiver recip\$6) same (view\$4		
		download\$4 receiv\$4) same attach\$8 same		
		(delet\$6 eras\$4))		
-	4	((e-mail email (electronic\$4 adj2	USPAT;	2003/07/15
		mail\$5)) nearll (user client sender	EPO; JPO;	17:50
		receiver recip\$6)) and ((notif\$6	DERWENT;	
		notificat\$7 indicat\$7) near11 (recipient	IBM_TDB	
[receiv\$4) same (delet\$6 eras\$4)) and		
		((user client sender receiver recip\$6)		
		same (view\$4 download\$4 receiv\$4) same		
	_ [attach\$8 near8 (delet\$6 eras\$4))	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	0000/07/16
-	2	(receiv\$4 send\$4 forward\$4 transfer\$7	USPAT;	2003/07/16
		trasmi\$7) near7 (notif\$7 notification alert\$4) near7 (user member client	EPO; JPO; DERWENT;	11:38
		receiver recipient subscriber) near7		
		(retriev\$4 download\$4 view\$4) near7	IBM_TDB	
]		attach\$7]
-	3	(notif\$7 notification alert\$4) same (user	USPAT;	2003/07/16
		member client receiver recipient	EPO; JPO;	12:49
		<pre>subscriber sender) same ((delet\$6 eras\$4)</pre>	DERWENT;	
		near6 attach\$7)	IBM_TDB	
-	5	(e-mail email (electronic\$4 adj2 mail\$5))	USPAT;	2003/07/16
		and ((attachment\$4 attach\$4) near11	EPO; JPO;	12:57
		(delet\$7 eras\$4) same (recipient\$4 user	DERWENT;	1
		client member custumer consumer) near11	IBM_TDB	
		(notif\$4 notification\$4 prompt\$6		
l _	20	acknowledg\$7)) ((e-mail email (electronic\$4 adj2	USPAT;	2003/11/06
	20	((e-mail email (electronics4 adj2 mail\$5)) nearl1 (user client sender	EPO; JPO;	09:22
		receiver recip\$6)) and ((notif\$6	DERWENT;	
		notificat\$7) near11 (recipient receiv\$4)	IBM TDB	
		same (delet\$6 eras\$4)) and ((user client		
		sender receiver recip\$6) same (view\$4		
		download\$4 receiv\$4) same attach\$8 same		
		(delet\$6 eras\$4))		
-	22	((e-mail\$4 email\$4 (electronic\$4 adj2	USPAT;	2003/11/06
		mail\$5)) same attach\$7) and ((notif\$6	EPO; JPO;	09:22
		notification prompt\$4 ask\$4) near11 (user	DERWENT;	
	!	client sender receiver recip\$6) same	IBM_TDB	
		(download\$4 view\$4 look\$4 retriev\$4) same (attach\$7 fil\$4 data information)) and		
		((notif\$6 notification prompt\$4 ask\$4)		
		near11 (user client sender receiver		
		recip\$6) same (eras\$4 delet\$7) same		
		(e-mail\$4 email\$4 (electronic\$4 adj2		
		mail\$5)))		
-	10	(notif\$7 notification alert\$4) near7	USPAT;	2003/11/06
		(user member client receiver recipient	EPO; JPO;	09:22
		subscriber) near7 (retriev\$4 download\$4	DERWENT;	
		view\$4) near7 attach\$7	IBM_TDB	
-	13	(notif\$7 notification alert\$4) same (user	USPAT;	2003/11/06
		member client receiver recipient	EPO; JPO;	09:23
		subscriber sender) same (delet\$6 eras\$4)	DERWENT;	
		same attach\$7 same (e-mail\$4 email\$4 (electronic\$4 adj2 mail\$5))	IBM_TDB	
	L	[[erecriourcaa ad] warraal]	L	<u> </u>

_	45	((e-mail email (electronic\$4 adj2	USPAT;	2003/11/06
		mail\$5)) and attachment\$4) and ((e-mail	EPO; JPO;	09:23
		email messag\$6 messeng\$6 (electronic\$4	DERWENT;	
		adj2 mail\$5)) same attach\$7 same (remov\$5	IBM TDB	}
		eras\$4 delet\$7)) and ((notif\$8 prompt\$4	-	1
		ask\$4) nearl1 (user client sender		
		receiver recip\$6) same (eras\$4 delet\$7))		
_	30		USPAT;	2003/11/06
		mail\$5)) nearll (user client sender	EPO; JPO;	09:23
		receiver recip\$6)) and ((notif\$6	DERWENT;	55.25
		notificat\$7 indicat\$7) near11 (recipient	IBM TDB	
		receiv\$4) same (delet\$6 eras\$4)) and	12122	
		((user client sender receiver recip\$6)	İ	
		same (view\$4 download\$4 receiv\$4) same		
		attach\$8 same (delet\$6 eras\$4))	1	
_	4	((e-mail email (electronic\$4 adj2	USPAT;	2003/11/06
	•	mail\$5)) and attachment\$4) and ((e-mail	EPO; JPO;	09:23
		email messag\$6 messeng\$6 (electronic\$4		09:23
			DERWENT;	
		adj2 mail\$5)) near11 attach\$7 near11	IBM_TDB	
		(remov\$5 eras\$4 delet\$7)) and ((notif\$8		
		prompt\$4 ask\$4) near11 (user client		
	1	sender receiver recip\$6) same (eras\$4		
	8	delet\$7))		0000 411 401
-	8	((notif\$7 notification alert\$4) same	USPAT;	2003/11/06
		(user member client receiver recipient	EPO; JPO;	09:23
		subscriber sender)) and ((delet\$6 eras\$4)	DERWENT;	
		near11 attach\$7 near11 (e-mail\$4 email\$4	IBM_TDB	
		(electronic\$4 adj2 mail\$5)))		
_	9	((sav\$4 stor\$4) near8 attach\$7) and	USPAT;	2003/11/06
		((notif\$6 notification prompt\$4 ask\$4)	EPO; JPO;	09:24
	!	nearl1 (user client sender receiver	DERWENT;	
		recip\$6) same (download\$4 view\$4 look\$4	IBM_TDB	
		retriev\$4 receiv\$5) same (attach\$7 fil\$4		
		data information)) and ((notif\$6		
		notification prompt\$4 ask\$4) near11 (user		
		client sender receiver recip\$6) same		
		(eras\$4 delet\$7) same (e-mail\$4 email\$4		
		<pre>(electronic\$4 adj2 mail\$5)))</pre>		
-	47	(((e-mail email (electronic\$4 adj2	USPAT;	2003/11/06
		<pre>mail\$5)) and attachment\$4) and ((notif\$8</pre>	EPO; JPO;	09:24
		prompt\$4 ask\$4) near11 (user client	DERWENT;	
		sender receiver recip\$6) same (eras\$4	IBM_TDB	
		delet\$7))) and ((notif\$6 notificat\$7		
		e-mail\$4 email\$4 (electronic adj mail\$4))		
		nearl1 (recipient receiv\$4) same (delet\$6		
		eras\$4))		1